





71345: 10W High Powered Rechargeable L.E.D Workshop Flood Light

Narva New Zealand limited

Chemwatch Hazard Alert Code: 0

Chemwatch: **5277-42** Version No: **3.1.1.1**

Issue Date: **25/10/2017**Print Date: **12/12/2017**S.GHS.NZL.EN

Safety Data Sheet according to HSNO Regulations

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

Product name	71345: 10W High Powered Rechargeable L.E.D Workshop Flood Light	
Synonyms	Li-ion Battery 18650 contained in Rechargeable LED floodlight 71345	
Proper shipping name	LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT or LITHIUM ION BATTERIES PACKED WITH EQUIPMENT (including lithium ion polymer batteries)	
Other means of identification	Not Available	

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Model 71345 Rechargeable LED workshop floodlight containing 3.7V Lithium ion rechargeable battery 18650.
--------------------------	--

Details of the supplier of the safety data sheet

Registered company name	Narva New Zealand limited
Address	22-24 Olive Road Penrose Auckland 1061 New Zealand
Telephone	0064 9 525 4575
Fax	0064 9 579 1192
Website	www.narva.com.au & www.narva.co.nz
Email	info@narva.co.nz

Emergency telephone number

Association / Organisation	NZ NATIONAL POISONS CENTRE	
Emergency telephone numbers	0800 POISON or 0800 764-766	
Other emergency telephone numbers	International: +64 3 479-7248	

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

Classification	Not Applicable
Determined by Chemwatch using GHS/HSNO criteria	Not Available

Label elements

Hazard pictogram(s) Not Applicable

SIGNAL WORD NOT APPLICABLE

Hazard statement(s)

Not Applicable

Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

Not Applicable

Version No: 3.1.1.1

71345: 10W High Powered Rechargeable L.E.D Workshop Flood Light

Issue Date: **25/10/2017**Print Date: **12/12/2017**

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
Not Available	100	Ingredients determined not to be hazardous

SECTION 4 FIRST AID MEASURES

NZ Poisons Centre 0800 POISON (0800 764 766) | NZ Emergency Services: 111

Description of first aid measures

Eye Contact	► Generally not applicable.
Skin Contact	► Generally not applicable.
Inhalation	► Generally not applicable.
Ingestion	► Generally not applicable.

Indication of any immediate medical attention and special treatment needed

► Generally not applicable.

SECTION 5 FIREFIGHTING MEASURES

Extinguishing media

- ▶ Dry chemical powder.
- BCF (where regulations permit).
- ▶ Carbon dioxide.

Special hazards arising from the substrate or mixture

Fire Incompatibility	None known		
Advice for firefighters			
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. 		
Fire/Explosion Hazard	 Non combustible. Not considered a significant fire risk, however containers may burn. Decomposes on heating and produces toxic furnes of: carbon monoxide (CO) carbon dioxide (CO2) metal oxides 		

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	Clean up all spills immediately. Secure load if safe to do so. Bundle/collect recoverable product. Collect remaining material in containers with covers for disposal.
Major Spills	 Clean up all spills immediately. Secure load if safe to do so. Bundle/collect recoverable product. Collect remaining material in containers with covers for disposal.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

Version No: 3.1.1.1

71345: 10W High Powered Rechargeable L.E.D Workshop Flood Light

Issue Date: 25/10/2017 Print Date: 12/12/2017

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling		
Safe handling	No special handling procedures required.	
Other information	► Generally not applicable.	
Conditions for safe storage, including any incompatibilities		
Suitable container	Store in original containers.	
Storage incompatibility	► Keep dry	

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Not Available

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
71345: 10W High Powered Rechargeable L.E.D Workshop Flood Light	Not Available	Not Available	Not Available	Not Available
Ingredient	Original IDLH		Original IDLH Revised IDLH	
Ingredients determined not to be hazardous	Not Available		Not Available	

Exposure controls

•	
Appropriate engineering controls	► Generally not applicable.
Personal protection	
Eye and face protection	► Generally not applicable.
Skin protection	See Hand protection below
Hands/feet protection	► Generally not applicable.
Body protection	See Other protection below
Other protection	► Generally not applicable.
Thermal hazards	Not Available

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	LED floodlight.		
Physical state	Manufactured	Relative density (Water = 1)	Not Applicable
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	Not Applicable	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Applicable	Viscosity (cSt)	Not Applicable
Initial boiling point and boiling range (°C)	Not Applicable	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Applicable	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Applicable
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Applicable
Vapour pressure (kPa)	Not Applicable	Gas group	Not Available
Solubility in water (g/L)	Not Applicable	pH as a solution (1%)	Not Applicable
Vapour density (Air = 1)	Not Applicable	VOC g/L	Not Applicable

Chemwatch: 5277-42 Page 4 of 7

Version No: 3.1.1.1 71345: 10W High Powered Rechargeable L.E.D Workshop Flood Light

Issue Date: **25/10/2017**Print Date: **12/12/2017**

SECTION 10 STABILITY AND REACTIVITY

See section 7
► Generally not applicable.
See section 7
See section 7
See section 7
See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

Inhaled	► Generally not applicable.
Ingestion	► Generally not applicable.
Skin Contact	► Generally not applicable.
Eye	► Generally not applicable.
Chronic	► Generally not applicable.
74245: 40W High Davison d	

TOXICITY

Not Available

IRRITATION

Not Available

Legend: 1. Va

1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances

Acute Toxicity	\otimes	Carcinogenicity	0
Skin Irritation/Corrosion	0	Reproductivity	0
Serious Eye Damage/Irritation	0	STOT - Single Exposure	0
Respiratory or Skin sensitisation	\circ	STOT - Repeated Exposure	0
Mutagenicity	0	Aspiration Hazard	0

Legend:

X − Data available but does not fill the criteria for classification
 v − Data available to make classification

Data Not Available to make classification

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

71345: 10W High Powered Rechargeable L.E.D Workshop Flood Light	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	Not Available	Not Available	Not Available	Not Available	Not Available
Legend:	Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data				

Harmless to the environment in intact form.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
	No Data available for all ingredients	No Data available for all ingredients

Bioaccumulative potential

Ingredient	Bioaccumulation	
	No Data available for all ingredients	

Mobility in soil

Ingredient	Mobility	
	No Data available for all ingredients	

SECTION 13 DISPOSAL CONSIDERATIONS

Page 5 of 7 Version No: 3.1.1.1 71345: 10W High Powered Rechargeable L.E.D Workshop Flood Light Issue Date: 25/10/2017 Print Date: 12/12/2017

Waste treatment methods

Product / Packaging disposal

- ▶ Recycle wherever possible or consult manufacturer for recycling options.
- ► Consult State Land Waste Management Authority for disposal.
- Bury residue in an authorised landfill.
 Recycle containers if possible, or dispose of in an authorised landfill.

Ensure that the disposal of material is carried out in accordance with Hazardous Substances (Disposal) Regulations 2001.

SECTION 14 TRANSPORT INFORMATION

Labels Required

Marine Pollutant	NO
HAZCHEM	4W

Land transport (UN)

· · · ·	4		
UN number	3481		
UN proper shipping name	LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT or LITHIUM ION BATTERIES PACKED WITH EQUIPMENT (including lithium ion polymer batteries)		
Transport hazard class(es)	Class 9 Subrisk Not Applicable		
Packing group	Not Applicable		
Environmental hazard	Not Applicable		
Special precautions for user	Special provisions 188; 230; 310; 348; 360; 376; 377; 384; 387 Limited quantity 0		

Air transport (ICAO-IATA / DGR)

UN number	3481		
UN proper shipping name	Lithium ion batteries contained in equipment (including lithium ion polymer batteries); Lithium ion batteries packed with equipment (including lithium ion polymer batteries)		
Transport hazard class(es)	ICAO/IATA Class 9 ICAO / IATA Subrisk Not Applicable ERG Code 9F		
Packing group	Not Applicable		
Environmental hazard	Not Applicable		
	Special provisions		A48 A88 A99 A154 A164 A181 A185 A206; A88 A99 A154 A164 A181 A185 A206
	Cargo Only Packing Instructions		967; 966
	Cargo Only Maximum Qty / Pack		35 kg
Special precautions for user	Passenger and Cargo Packing Instructions		967; 966
	Passenger and Cargo Maximum Qty / Pack		5 kg
	Passenger and Cargo Limited Quantity Packing Instructions		Forbidden
	Passenger and Cargo Limited Maximum Qty / Pack		Forbidden

Sea transport (IMDG-Code / GGVSee)

UN number	3481	
UN proper shipping name	LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT or LITHIUM ION BATTERIES PACKED WITH EQUIPMENT (including lithium ion polymer batteries)	
Transport hazard class(es)	IMDG Class 9 IMDG Subrisk Not Applicable	
Packing group	Not Applicable	
Environmental hazard	Not Applicable	
Special precautions for user	EMS Number F-A , S-I Special provisions 188 230 310 348 360 376 377 384 Limited Quantities 0	

Version No: **3.1.1.1**

71345: 10W High Powered Rechargeable L.E.D Workshop Flood Light

Issue Date: **25/10/2017** Print Date: **12/12/2017**

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

This substance is to be managed using the conditions specified in an applicable Group Standard

HSR Number	Group Standard
Not Applicable	Not Applicable

Location Test Certificate

Subject to Regulation 55 of the Hazardous Substances (Classes 1 to 5 Controls) Regulations, a location test certificate is required when quantity greater than or equal to those indicated below are present.

Hazard Class	Quantity beyond which controls apply for closed containers	Quantity beyond which controls apply when use occurring in open containers
Not Applicable	Not Applicable	Not Applicable

Approved Handler

Subject to Regulation 56 of the Hazardous Substances (Classes 1 to 5 Controls) Regulations and Regulation 9 of the Hazardous Substances (Classes 6, 8, and 9 Controls) Regulations, the substance must be under the personal control of an Approved Handler when present in a quantity greater than or equal to those indicated below.

Class of substance	Quantities
Not Applicable	Not Applicable

Refer Group Standards for further information

Tracking Requirements

Not Applicable

National Inventory	Status
Australia - AICS	Υ
Canada - DSL	Υ
Canada - NDSL	Υ
China - IECSC	Υ
Europe - EINEC / ELINCS / NLP	Υ
Japan - ENCS	Υ
Korea - KECI	Υ
New Zealand - NZIoC	Υ
Philippines - PICCS	Υ
USA - TSCA	Y
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 OTHER INFORMATION

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit.

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL: No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value

LOD: Limit Of Detection

OTV: Odour Threshold Value

BCF: BioConcentration Factors

BEI: Biological Exposure Index

Chemwatch: 5277-42 Page 7 of 7 Issue Date: 25/10/2017 Version No: 3.1.1.1 Print Date: 12/12/2017

71345: 10W High Powered Rechargeable L.E.D Workshop Flood Light

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.