

Cover Sheet for Safety Data Sheet

1. Identification of the Substance/Preparation and of the Company/Undertaking

Product Name JELLY BELLY VENT MOUNT MEMBRANE

Product No 15410, 15412, 15414, 15416, 15420

Overseas Supplier Custom Accessories Europe

NZ Distributor Griffiths Equipment Ltd

19 Bell Ave Mt Wellington Auckland Tel 09 5254575

Email

sales@griffithsequipment.co.nz

Emergency In an emergency contact the NZ Poisons Centre 0800 POISON

(0800 764 766).

2. Hazards Identification

This product is Hazardous according to the Hazardous Substances (Classification) Regulations 2001.

- 3.1C—Flammable liquids: medium hazard
- 6.3B—Substances that are mildly irritating to the skin
- 6.4A—Substances that are irritating to the eye
- 9.1D—Substances that are slightly harmful to the aquatic environment or are otherwise designed for biocidal action

HSNO Approval Number HSR002621. N.O.S. (Flammable) Group Standard 2006



SAFETY DATA SHEET JELLY BELLY VENT MOUNT MEMBRANE - Bubblegum

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name JELLY BELLY VENT MOUNT MEMBRANE - Bubblegum

Product number 15416

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Air Freshener

Uses advised againstNo specific uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

Supplier

Custom Accessories Europe

The Granary Standen Manor Hungerford Berkshire RG17 0RB

UK

T: +44 (0) 1488 662770 F: +44 (0) 1488 662771 E: info@caeurope.co.uk

1.4. Emergency telephone number

Emergency telephone +44 (0) 1488 662770 (9:00-17:00 Monday - Friday)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Flam. Liq. 3 - H226

Health hazards Skin Sens. 1 - H317

Environmental hazards Aquatic Chronic 2 - H411

Human health The product contains a sensitising substance. See Section 11 for additional information on

health hazards.

Environmental The product contains a substance which may have hazardous effects on the environment.

Physicochemical The product is flammable.

2.2. Label elements

Pictogram







Signal word Warning

Hazard statements H226 Flammable liquid and vapour.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P501 Dispose of contents/ container in accordance with local regulations.

Contains eugenol, d-limonene, alpha-damascone, cis-beta-damascone

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

 pentyl acetate
 10 - <25%</th>

 CAS number: 628-63-7
 EC number: 211-047-3

Classification Flam. Liq. 3 - H226

methyl salicylate 10 - <25%

CAS number: 119-36-8 EC number: 204-317-7

Classification

Acute Tox. 4 - H302

3-methylbutyl butyrate 5 - <10%

CAS number: 106-27-4 EC number: 203-380-8

Classification

Flam. Liq. 3 - H226 Aquatic Chronic 3 - H412

cinnamic aldehyde 2.5 - <5%

CAS number: 104-55-2 EC number: 203-213-9

Classification

Acute Tox. 4 - H312

eugenol		2.5 - <5%
CAS number: 97-53-0	EC number: 202-589-1	
Classification		

Eye Irrit. 2 - H319 Skin Sens. 1 - H317

d-limonene 2.5 - <5%

CAS number: 5989-27-5 EC number: 227-813-5 M factor (Acute) = 1 M factor (Chronic) = 1

Classification

Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

undecan-4-olide 2.5 - <5%

CAS number: 104-67-6 EC number: 203-225-4

Classification

Aquatic Chronic 2 - H411

ethyl vanillin 1 - <2.5%

CAS number: 121-32-4 EC number: 204-464-7

Classification
Eye Irrit. 2 - H319

vanillin 1 - <2.5%

CAS number: 121-33-5 EC number: 204-465-2

ClassificationEye Irrit. 2 - H319

alpha-damascone 0.25 - <0.5%

CAS number: 43052-87-5

Classification

Skin Sens. 1 - H317

JELLY BELLY VENT MOUNT MEMBRANE - Bubblegum

cis-beta-damascone 0.025 - <0.25%

CAS number: 23726-92-3 EC number: 245-843-7

Classification
Skin Sens. 1 - H317

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information If in doubt, get medical attention promptly. Show this Safety Data Sheet to the medical

personnel.

Inhalation Move affected person to fresh air at once. Get medical attention if any discomfort continues.

Ingestion Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Stop if

the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if any discomfort continues.

Skin contact Wash skin thoroughly with soap and water. Get medical attention if irritation persists after

washing.

Eye contact If liquid has entered the eyes, proceed as follows. Remove any contact lenses and open

eyelids wide apart. Rinse cautiously with water for several minutes. Get medical attention

promptly if symptoms occur after washing.

Protection of first aiders First aid personnel should wear appropriate protective equipment during any rescue.

4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure. The product contains a sensitising substance.

Inhalation No specific symptoms known.

Ingestion May cause discomfort if swallowed.

Skin contact May cause skin sensitisation or allergic reactions in sensitive individuals.

Eye contact May cause temporary eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-

extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards The product is flammable.

Hazardous combustion

products

Thermal decomposition or combustion products may include the following substances:

Harmful gases or vapours. Carbon dioxide (CO2). Carbon monoxide (CO).

JELLY BELLY VENT MOUNT MEMBRANE - Bubblegum

5.3. Advice for firefighters

Protective actions during

firefighting

Avoid breathing fire gases or vapours. Ventilate closed spaces before entering them. Control

run-off water by containing and keeping it out of sewers and watercourses.

Special protective equipment

for firefighters

Use protective equipment appropriate for surrounding materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8. No smoking, sparks, flames or other sources of

ignition near spillage. Avoid contact with skin and eyes. Provide adequate ventilation. Take

care as floors and other surfaces may become slippery.

6.2. Environmental precautions

Environmental precautions

Avoid discharge to the aquatic environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up We

Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Eliminate all ignition sources if safe to do so. Small Spillages: Absorb small quantities with paper towels and evaporate in a safe place. Once evaporation is complete, place paper in a suitable waste disposal container and seal securely. Large Spillages: Absorb spillage with non-combustible, absorbent material. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. For waste disposal, see Section 13.

6.4. Reference to other sections

Reference to other sections

For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions

Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Handle all packages and containers carefully to minimise spills. The product is flammable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid contact with skin and eyes.

Advice on general occupational hygiene

Wash promptly if skin becomes contaminated. Do not eat, drink or smoke when using this product. Persons susceptible to allergic reactions should not handle this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Do not store near heat sources or expose to high temperatures. Keep out of the reach of

children.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

pentyl acetate

Long-term exposure limit (8-hour TWA): WEL 50 ppm 270 mg/m³ Short-term exposure limit (15-minute): WEL 100 ppm 541 mg/m³

WEL = Workplace Exposure Limit

8.2. Exposure controls

Appropriate engineering

controls

Provide adequate ventilation. Observe any occupational exposure limits for the product or

ingredients.

Eye/face protection No specific eye protection required during normal use.

Hand protection No specific hand protection recommended. Large Spillages: Wear protective gloves. The most

suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can

provide information about the breakthrough time of the glove material.

Hygiene measures Wash promptly with soap and water if skin becomes contaminated. When using do not eat,

drink or smoke.

Respiratory protection No specific recommendations.

Environmental exposure

controls

Avoid discharge to the aquatic environment.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance Coloured liquid.

Colour Colourless to pale yellow.

Odour Fruity.

Odour threshold Not determined.

pH Not determined.

Melting point Not determined.

Initial boiling point and range Not determined.

Flash point 122°F

Evaporation rate Not determined.

Evaporation factor Not determined.

Upper/lower flammability or

explosive limits

Not determined.

Vapour pressure Not determined.
Vapour density Not determined.

Relative density 0.89-0.99

Solubility(ies) Insoluble in water.

Partition coefficient Not determined.

Auto-ignition temperature Not determined.

Explosive properties Not determined.

Oxidising properties Does not meet the criteria for classification as oxidising.

Not determined.

9.2. Other information

Decomposition Temperature

Other information None.

JELLY BELLY VENT MOUNT MEMBRANE - Bubblegum

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous

None known.

reactions

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid Avoid contact with strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition Thermal decomposition or combustion products may include the following substances:

products Carbon dioxide (CO2). Carbon monoxide (CO).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

ATE oral (mg/kg) 6,636.08

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

ATE dermal (mg/kg) 26,955.81

Acute toxicity - inhalation

Notes (inhalation LC50) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation May cause skin sensitisation or allergic reactions in sensitive individuals.

Germ cell mutagenicity

Genotoxicity - in vitro

Based on available data the classification criteria are not met.

Genotoxicity - in vivo

Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

JELLY BELLY VENT MOUNT MEMBRANE - Bubblegum

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

SECTION 12: Ecological Information

Ecotoxicity The product contains a substance which may have hazardous effects on the environment.

12.1. Toxicity

Toxicity Aquatic Chronic 2 - H411 Toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not determined.

12.4. Mobility in soil

Mobility The product is insoluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information The generation of waste should be minimised or avoided wherever possible. This material and

its container must be disposed of in a safe way.

Disposal methods Reuse or recycle products wherever possible. Avoid discharge into drains or watercourses or

onto the ground. Dispose of waste to licensed waste disposal site in accordance with the

requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 1993

UN No. (IMDG) 1993

UN No. (ICAO) 1993

UN No. (ADN) 1993

14.2. UN proper shipping name

Proper shipping name

FLAMMABLE LIQUID, N.O.S. (CONTAINS PENTYL ACETATE, d-LIMONENE)

(ADR/RID)

Proper shipping name (IMDG) FLAMMABLE LIQUID, N.O.S. (CONTAINS PENTYL ACETATE, d-LIMONENE)

Proper shipping name (ICAO) FLAMMABLE LIQUID, N.O.S. (CONTAINS PENTYL ACETATE, d-LIMONENE)

Proper shipping name (ADN) FLAMMABLE LIQUID, N.O.S. (CONTAINS PENTYL ACETATE, d-LIMONENE)

14.3. Transport hazard class(es)

ADR/RID class 3

ADR/RID classification code F1

ADR/RID label 3

IMDG class 3

ICAO class/division 3

ADN class 3

Transport labels



14.4. Packing group

ADR/RID packing group III

7 6 6 6 6

IMDG packing group

ICAO packing group

ADN packing group

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user

EmS F-E, S-E

ADR transport category 3

Emergency Action Code •3Y

Hazard Identification Number 30

(ADR/RID)

Tunnel restriction code (D/E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

JELLY BELLY VENT MOUNT MEMBRANE - Bubblegum

National regulations Health and Safety at Work etc. Act 1974 (as amended).

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009

No. 716).

EH40/2005 Workplace exposure limits.

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment

Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Classification procedures according to Regulation (EC)

1272/2008

Flam. Liq. 3 - H226, Skin Sens. 1 - H317, Aquatic Chronic 2 - H411: Calculation method.

Revision date 27/10/2016

Revision 3

Supersedes date 10/02/2015

SDS number 4697

Hazard statements in full H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.