

1. Identification of Substance & Company

Product

Product name Rain-X-Glass Cleaner

Other namesnot assignedProduct codesnot assignedHSNO approvalHSR002525

Approval description Cleaning Products (Combustible) Group 2017

UN number NA
DG class NA
Proper Shipping Name NA
Packaging group NA
Hazchem code NA

Uses glass cleaner

Company Details

Company Griffiths Equipment Ltd

Physical Address22-24 Olive Road,
PenroseP O Box 12556
PenroseAuckland.Auckland

Auckland. Auckland 1061 1642 New Zealand New Zealand

Telephone +64-9-525-4575 **Fax** +64-9-579-1192

Website http://www.griffithsequipment.co.nz/

Emergency Telephone Number: 0800 764 766

2. Hazard Identification

Approval

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO, Approval HSR002525, Cleaning Products (Combustible) Group 2017): The substance has been classified as hazardous according to the criteria in the Hazardous substances (Minimum Degrees of Hazard) Notice 2017.

Classes Hazard Statements

3.1D H227 - Combustible liquid.

SYMBOLS

WARNING

Other Classifications

There are no other classifications that are known to apply.

Precautionary Statements

P103 - Read label before use.

P210 - Keep away from flames and hot surfaces. No smoking.

P280 - Wear protective gloves and eye/face protection.

P403+P235 - Store in a well-ventilated place. Keep cool.

3. Composition / Information on Ingredients

| Component | CAS/ Identification | Conc (%) |
|--------------|---------------------|----------|
| butyl oxitol | 111-76-2 | 1-5% |
| isopropanol | 67-63-0 | 1-5% |

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.



General Information

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed or irritated by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service).

Recommended first aid

Ready access to running water is required. Accessible evewash is required.

facilities

Exposure

Swallowed Do NOT induce vomiting. Give a glass of water to drink. Contact a doctor if you have

any symptoms.

Eye contact If product gets in eyes, wash material from them with running water for several minutes.

If symptoms persist, seek medical advice.

Skin contact Inhaled

This product is non-irritating to skin. No further measures should be required. Generally, inhalation of vapours is unlikely to result in adverse health effects. If

coughing, dizziness or shortness of breath is experienced, remove the patient to fresh air immediately. If patient is unconscious, place in the recovery position (on the side) for

transport and contact a doctor.

Advice to Doctor Treat symptomatically

Firefighting Measures

Fire and explosion hazards: This product is combustible. This product has the potential to cause fire or to create an

additional hazard during fire

Suitable extinguishing

substances:

alcohol resistant foam. Unknown.

Unsuitable extinguishing

substances:

Products of combustion: Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water.

May form toxic mixtures in air and may accumulate in sumps, pits and other low-lying

Carbon dioxide, extinguishing powder or water jet. Fight larger fires with water jet or

spaces, forming potentially explosive mixtures.

Protective equipment: Self-contained breathing apparatus. Safety boots, non-flammable overalls, gloves, hat

and eye protection.

Hazchem code: NA

Accidental Release Measures

Containment If greater than 10000L is stored, secondary containment and emergency plans to

manage any potential spills must be in place. In all cases design storage to prevent

discharge to storm water.

Emergency procedures In the event of spillage alert the fire brigade to location and give brief description of

hazard. Stop the source of the leak, if safe to do so. Wear protective equipment to prevent skin, eye and respiratory exposure. Clear area of any unprotected personnel. Contain using sand, earth or vermiculite. Do not use sawdust. Prevent by whatever means possible any spillage from entering drains, sewers, or water courses. (If this

occurs contact your regional council immediately).

Clean-up method Use absorbent (soil, sand or other inert material). Rags are not recommended for the

clean-up of spills, as they may create fire or environmental hazard. Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or

Product Name: Rain-X-Glass Cleaner

waterways has occurred advise local emergency services.

Disposal Mop up and collect recoverable material into labelled containers for recycling or salvage.

Recycle containers wherever possible. This material may be suitable for approved

landfill. Dispose of only in accord with all regulations.

Precautions Wear protective equipment to prevent skin and eye contamination and the inhalation of

vapours. Work up wind or increase ventilation.



Product Name: Rain-X-Glass Cleaner

7. Storage & Handling

Storage Avoid storage of harmful substances with food. Store out of reach of children.

Containers should be kept closed in order to minimise contamination. Keep from extreme heat and open flames. Avoid contact with incompatible substances as listed in

Section 10.

Handling Keep exposure to a minimum, and minimise the quantities kept in work areas. See

section 8 with regard to personal protective equipment requirements.

8. Exposure Controls / Personal Protective Equipment

Workplace Exposure Standards

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m³ for respirable particulates and 10mg/m³ for inhalable particulates when limits have not otherwise been established.

NZ Workplace Ingredient WES-TWA* WES-STEL

Exposure Stds butyl oxitol 25ppm, 121mg/m³ (skin) data unavailable 500ppm, 1230mg/m³

400ppm, 983mg/m³ 500ppm, 1230mg/m³

* These workplace exposure standards are also Prescribed Exposure Standards (PES) under the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016.

Engineering Controls

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

Personal Protective Equipment

Eyes Protective eyewear is not normally necessary when using this product. However, it

always prudent to use protective eyewear if splashes are likely.

Skin Protective gloves and clothing are not normally necessary. However, it is prudent to

wear gloves when handling chemicals in bulk or for an extended period of time.

Respirator is not required under normal use. Ensure adequate natural ventilation. If

product is being used in confined conditions, the use of a mask or respirator may be

preferred.

WES Additional Information

Not applicable

Respiratory

9. Physical & Chemical Properties

Appearance clear liquid alcohol odour

pH 7
Vapour pressure no data
Viscosity no data
Boiling point 86°C
Volatile materials 2.4%
Freezing / melting point no data

Solubility soluble in water Specific gravity / density soluble in water 1.00 g/cm³ @25°C

Flash point 68°C (cleveland open cup)

Danger of explosionno dataAuto-ignition temperatureno dataUpper & lower flammable limitsno dataCorrosivenessnon corrosive



10. Stability & Reactivity

Stability Stable

Conditions to be avoided Flammable substance. Keep away from sources of ignition at all times. Containers should

be kept closed in order to avoid contamination.

Incompatible groups
Substance Specific

none known

oxidising agents,

Incompatibility
Hazardous decomposition

_

products

Oxides of carbon.

products

Hazardous reactions none known

11. Toxicological Information

Summary

IF SWALLOWED: Ingestion may cause irritation to mucous membranes.

IF IN EYES: May cause eye irritation with susceptible persons.

IF ON SKIN: Prolonged contact may cause redness and irritation.

IF INHALED: Expected to be low order of toxicity under normal conditions of use. Inhalation of vapours in high concentration may cause irritation of respiratory system.

Supporting Data

Acute Oral Using LD₅₀'s for ingredients, the calculated LD₅₀ (oral, rat) for the mixture is >5,000

mg/kg. Data considered includes: butyl oxitol 1414mg/kg (guinea pig). isopropanol 3600

mg/kg (mouse).

Dermal Using LD₅₀'s for ingredients, the calculated LD₅₀ (dermal, rat) for the mixture is >5000

mg/kg. Data considered includes: butyl oxitol >2000mg/kg (guinea pig).

Inhaled Using LC_{50} 's for ingredients, the calculated LC_{50} (inhalation, rat) for the mixture is

>5mg/L. Data considered includes: butyl oxitol 2.174 mg/L (rat, mist).

EyeThe mixture is not considered to be an eye irritant. **Skin**The mixture is not considered to be a skin irritant.

Chronic Sensitisation No ingredient present at concentrations > 0.1% is considered a sensitizer.

MutagenicityNo ingredient present at concentrations > 0.1% is considered a mutagen.CarcinogenicityNo ingredient present at concentrations > 0.1% is considered a carcinogen.Reproductive /No ingredient present at concentrations > 0.1% is considered a reproductive or

Developmental developmental toxicant or have any effects on or via lactation.

Systemic No ingredient present at concentrations > 1% is considered a target organ toxicant.

Aggravation of None known.

existing conditions

12. Ecological Data

Summary

This mixture is not considered ecotoxic, however in all cases do not release to waterways, drains or stormwater.

Supporting Data

Aquatic Using EC₅₀'s for ingredients, the estimated EC₅₀ for the mixture is > 100 mg/L.

Bioaccumulation No data
Degradability No data
Soil No data

Terrestrial vertebrateThis mixture is not considered to be harmful towards terrestrial vertebrates.

Terrestrial invertebrate No evidence of toxicity towards terrestrial invertebrates.

Biocidal no data

Environmental effect levels No EELs are available for this mixture or ingredients

13. Disposal Considerations

Restrictions There are no product-specific restrictions, however, local council and resource consent

conditions may apply, including requirements of trade waste consents.

Disposal methodDisposal of this product must comply with the Hazardous Substances (Disposal) Notice 2017 and the requirements of the Resource Management Act for which approval should

be sought from the Regional Authority. The substance must be treated and therefore

rendered non-hazardous before discharge to the environment.

Contaminated packaging Disposal of contaminated packaging must comply with the Hazardous Substances

(Disposal) Notice 2017 clause 12. Ensure that the package is renedered incapable of containing any substance and is disposed in a manner that is consistent with the requirements of the substance it contained and the material of the package. If possible

reuse or recycle packaging.

Page 4 of 6 November 2018

Product Name: Rain-X-Glass Cleaner



14. Transport Information

Land Transport Rule: Dangerous Goods 2005 - NZS 5433:2007

There are no specific restrictions for this product (not a dangerous good).

UN number:NAProper shipping name:NAClass(es)NAPacking group:NAPrecautions:NAHazchem code:NA

15. Regulatory Information

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO). Approval code: HSR002525, Cleaning Products (Combustible) Group 2017.

Specific Controls

Key workplace requirements are:

SDS To be available within 10 minutes in workplaces storing any quantity.

Inventory An inventory of all hazardous substances must be prepared and maintained.

Packaging All hazardous substances should be appropriately packaged including substances

that have been decanted, transferred or manufactured for own use or have been

supplied

Labelling Must comply with the Hazardous Substances (Labelling) Notice 2017.

Emergency plan Required if > 10000L is stored.

Certified handler Not required. Tracking Not required.

Bunding & secondary containment Required if > 10000L is stored.

Signage Required if > 10000L is stored.

Location compliance certificate Required if > not required is stored.

Flammable zone Not required.

Fire extinguisher If > 500L present.

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.

16. Other Information

Abbreviations

Approval HSR002525, Cleaning Products (Combustible) Group 2017 Controls, EPA.

Approval Code Approval HSH002 www.epa.govt.nz

CAS Number Unique Chemical Abstracts Service Registry Number

Ceiling Exposure Value: The maximum airborne concentration of a biological or chemical

agent to which a worker may be exposed at any time.

Controls Matrix
List of default controls linking regulation numbers to Matrix code (e.g. T1, I16).

EC50
Ecotoxic Concentration 50% – concentration in water which is fatal to 50% of a test

population (e.g. daphnia, fish species)

EPA Environmental Protection Authority (New Zealand)

HAZCHEM Code Emergency action code of numbers and letters that provide information to emergency

services, especially fire fighters

HSNO Hazardous Substances and New Organisms (Act and Regulations)

IARC International Agency for Research on Cancer
LEL/UEL Lower Explosive Limit/ Upper Explosive Limit

LD₅₀ Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).

Lethal Concentration 50% – concentration in air which is fatal to 50% of a test population

(usually rats)

MSDS (SDS) Material Safety Data Sheet (or Safety Data Sheet)

PES Prescribed Exposure Standard means a WES or a biological exposure standard that is

prescribed in a regulation, a safe work instrument or an approval under HSNO (including

group standards).

STEL Short Term Exposure Limit - The maximum airborne concentration of a chemical or

biological agent to which a worker may be exposed in any 15 minute period, provided the

TWA is not exceeded

TWA Time Weighted Average – generally referred to WES averaged over typical work day

(usually 8 hours)

Page 5 of 6

November 2018 Product Name: Rain-X-Glass Cleaner



UN Number United Nations Number

WES Workplace Exposure Standard - The airborne concentration of a biological or chemical

agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring

using procedures that gather air samples in the worker's breathing zone.

References

Unless otherwise stated comes from the EPA HSNO chemical classification information

database (CCID).

Controls EPA notices, www.epa.govt.nz, Health and Safety at Work (Hazardous Substances)

Regulations 2017, www.legislation.govt.nz

WES The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available

on their web site – www.worksafe.govt.nz.

Other References: Suppliers SDS, EU ECHA, ingredients SDS's, ChemIDplus

Review

DateReason for reviewNovember 2018Not applicable – new SDS

Disclaimer

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely HSNO classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: +64 9 940 30 80.



Page 6 of 6 November 2018

Product Name: Rain-X-Glass Cleaner