

71416: ALS Rechargeable L.E.D Flood Light – 6000 Lumens Griffiths Equipment Limited

Chemwatch Hazard Alert Code: 0

Issue Date: **01/11/2019** Print Date: **21/08/2020** S.GHS.NZL.EN

Chemwatch: **5350-18**Version No: **3.1.1.1**Safety Data Sheet according to HSNO Regulations

SECTION 1 Identification of the substance / mixture and of the company / undertaking

_			- 2			
7	roc	ut	ct	Ide	nti	fier

i roddot idontinioi			
Product name	71416: ALS Rechargeable L.E.D Flood Light – 6000 Lumens		
Synonyms	Not Available		
Proper shipping name LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT or LITHIUM ION BATTERIES PACKED WITH EQUIPMENT (including lithium in polymer batteries)			
Other means of identification	Not Available		

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Flood light containing rechargeable Li-ion battery model WT 26980, Voltage 10.8V, capacity 6000 mAh, power 64.8 Wh.
--------------------------	---

Details of the supplier of the safety data sheet

Registered company name		BWI
Address 19 Bell Ave, Mount Wellington Auckland 1060 New Zealand		1500 Ferntree Gully Road VIC 3180 Australia
Telephone +64 9 525 4575		+61397306000
Fax Not Available		Not Available
Website	www.griffithsequipment.co.nz	Not Available
Email sales@griffithsequipment.co.nz		info@brownwatson.com.au

Emergency telephone number

Association / Organisation	NZ NATIONAL POISONS CENTRE	
Emergency telephone numbers	0800 POISON or 0800 764-766	
Other emergency telephone numbers	International: +64 3 479-7227	

SECTION 2 Hazards identification

Classification of the substance or mixture

Classification [1]	Not Applicable
Determined by Chemwatch using GHS/HSNO criteria	Not Available

Label elements

Educi cicinents		
Hazard pictogram(s)	Not Applicable	
Signal word	Not Applicable	

Hazard statement(s)

Not Applicable

Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Version No: **3.1.1.1**

71416: ALS Rechargeable L.E.D Flood Light - 6000 Lumens

Issue Date: **01/11/2019**Print Date: **21/08/2020**

Precautionary statement(s) Disposal

Not Applicable

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
Not Available	100	Ingredients determined not to be hazardous
Not Available		Lithium ion rechargeable battery WT 26980
Not Available		contained in equipment

SECTION 4 First aid measures

Description of first aid measures

Eye Contact	▶ Generally not applicable.	
Skin Contact	► Generally not applicable.	
Inhalation	► Generally not applicable.	
Ingestion	► Generally not applicable.	

Indication of any immediate medical attention and special treatment needed

► Generally not applicable.

SECTION 5 Firefighting measures

Extinguishing media

- Dry chemical powder
- ▶ BCF (where regulations permit).
- Carbon dioxide.

Special hazards arising from the substrate or mixture

Special nazards ansing from the substrate of mixture			
Fire Incompatibility	None known		
Advice for firefighters			
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. 		
Fire/Explosion Hazard	 Non combustible. Not considered a significant fire risk, however containers may burn. Decomposes on heating and produces toxic fumes of: carbon monoxide (CO) carbon dioxide (CO2) metal oxides 		

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Clean up all spills immediately. Secure load if safe to do so. Bundle/collect recoverable product. Collect remaining material in containers with covers for disposal.
Major Spills	 Clean up all spills immediately. Secure load if safe to do so. Bundle/collect recoverable product. Collect remaining material in containers with covers for disposal.

Chemwatch: 5350-18 Page 3 of 7

Version No: **3.1.1.1**

71416: ALS Rechargeable L.E.D Flood Light – 6000 Lumens

Issue Date: **01/11/2019**Print Date: **21/08/2020**

SECTION 7 Handling and storage

Precautions for safe handling

Safe handling	No special handling procedures required.	
Other information	F Generally not applicable.	

Conditions for safe storage, including any incompatibilities

Suitable container	Store in original containers.
Storage incompatibility	▶ Keep dry

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Not Available

Emergency Limits

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
71416: ALS Rechargeable L.E.D Flood Light – 6000 Lumens	Not Available	Not Available	Not Available	Not Available
Ingredient	Original IDLH		Revised IDLH	
71416: ALS Rechargeable L.E.D Flood Light – 6000 Lumens	Not Available		Not Available	

Exposure controls

Appropriate engineering controls	► Generally not applicable.
Personal protection	
Eye and face protection	► Generally not applicable.
Skin protection	See Hand protection below
Hands/feet protection	► Generally not applicable.
Body protection	See Other protection below
Other protection	► Generally not applicable.

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Flood light with blue battery.		
Physical state	Manufactured	Relative density (Water = 1)	Not Applicable
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	Not Applicable	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Applicable	Viscosity (cSt)	Not Applicable
Initial boiling point and boiling range (°C)	Not Applicable	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Applicable	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Applicable
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Applicable
Vapour pressure (kPa)	Not Applicable	Gas group	Not Available
Solubility in water	Not Applicable	pH as a solution (1%)	Not Applicable
Vapour density (Air = 1)	Not Applicable	VOC g/L	Not Applicable

SECTION 10 Stability and reactivity

Chemwatch: **5350-18**Version No: **3.1.1.1**

Page 4 of 7

71416: ALS Rechargeable L.E.D Flood Light – 6000 Lumens

Issue Date: **01/11/2019**Print Date: **21/08/2020**

Reactivity	See section 7
Chemical stability	► Generally not applicable.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

Information on toxicological effects

Inhaled	► Generally not applicable.		
Ingestion	▶ Generally not applicable.		
Skin Contact	► Generally not applicable.		
Eye	► Generally not applicable.		
Chronic	► Generally not applicable.		
71416: ALS Rechargeable L.E.D Flood Light – 6000 Lumens	TOXICITY Not Available	IRRITATION Not Available	
Legend:	Value obtained from Furone FCHA Registered Substances - Acute toxicity 2 * Value obtained from manufacturer's SDS. Unless otherwise		

Acute Toxicity	×	Carcinogenicity	×
Skin Irritation/Corrosion	×	Reproductivity	×
Serious Eye Damage/Irritation	×	STOT - Single Exposure	×
Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	×
Mutagenicity	X	Aspiration Hazard	×

specified data extracted from RTECS - Register of Toxic Effect of chemical Substances

Legend:

🗶 – Data either not available or does not fill the criteria for classification

Data available to make classification

SECTION 12 Ecological information

Toxicity

71416: ALS Rechargeable	Endpoint	Test Duration (hr)	Species	Value	Source
L.E.D Flood Light – 6000 Lumens	Not Available	Not Available	Not Available	Not Available	Not Available
Legend:	Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data				

Harmless to the environment in intact form.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air	
	No Data available for all ingredients	No Data available for all ingredients	

Bioaccumulative potential

Dioaccamalative potential	
Ingredient	Bioaccumulation
	No Data available for all ingredients

Mobility in soil

Ingredient	Mobility
	No Data available for all ingredients

SECTION 13 Disposal considerations

Waste treatment methods

Product / Packaging disposal	 Recycle wherever possible or consult manufacturer for recycling options. Consult State Land Waste Management Authority for disposal. Bury residue in an authorised landfill. Recycle containers if possible, or dispose of in an authorised landfill.

Version No: 3.1.1.1

Page 5 of 7 Issue Date: 01/11/2019 Print Date: 21/08/2020 71416: ALS Rechargeable L.E.D Flood Light – 6000 Lumens

Ensure that the hazardous substance is disposed in accordance with the Hazardous Substances (Disposal) Notice 2017

Disposal Requirements

Not applicable as substance/ material is non hazardous.

SECTION 14 Transport information

Labels Required



Marine Pollutant	NO
HAZCHEM	2

Land transport (UN)

UN number	2404		
UN number	3481		
UN proper shipping name	LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT or LITHIUM ION BATTERIES PACKED WITH EQUIPMENT (including lithium ion polymer batteries)		
Transport hazard class(es)	Class	9	
	Subrisk Not Applicable		
Packing group	Not Applicable		
Environmental hazard	Not Applicable		
Special precautions for user	Special pro	visions	188; 230; 310; 348; 360; 376; 377; 384; 387; 390
	Limited qua	antity	0

Air transport (ICAO-IATA / DGR)

UN number	3481		
UN proper shipping name	Lithium ion batteries packed with equipment (including lithium ion polymer batteries); Lithium ion batteries contained in equipment (including lithium ion polymer batteries)		
Transport hazard class(es)	ICAO/IATA Class	9	
	ICAO / IATA Subrisk	Not Applicable	
	ERG Code	12FZ	
Packing group	Not Applicable		
Environmental hazard	Not Applicable		
	Special provisions		A48 A88 A99 A154 A164 A181 A185 A206 A213; A88 A99 A154 A164 A181 A185 A206 A213
	Cargo Only Packing Instructions		967; 966
	Cargo Only Maximum Qty / Pack		35 kg
Special precautions for user	Passenger and Cargo Packing Instructions		967; 966
	Passenger and Cargo Maximum Qty / Pack		5 kg
	Passenger and Cargo Limited Quantity Packing Instructions		Forbidden
	Passenger and Cargo Limited Maximum Qty / Pack		Forbidden

Sea transport (IMDG-Code / GGVSee)

UN number	3481		
UN proper shipping name	LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT or LITHIUM ION BATTERIES PACKED WITH EQUIPMENT (including lithium ion polymer batteries)		
Transport hazard class(es)	IMDG Class 9 IMDG Subrisk Not Applicable		
Packing group	Not Applicable		
Environmental hazard	Not Applicable		
Special precautions for user	EMS Number F-A , S-I Special provisions 188 230 310 348 360 376 377 384 387 Limited Quantities 0		

Version No: **3.1.1.1**

71416: ALS Rechargeable L.E.D Flood Light - 6000 Lumens

Issue Date: **01/11/2019**Print Date: **21/08/2020**

Not Applicable

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

This substance is to be managed using the conditions specified in an applicable Group Standard

HSR Number	Group Standard
Not Applicable	Not Applicable

Hazardous Substance Location

Subject to the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Hazard Class	Quantity (Closed Containers)	Quantity (Open Containers)
Not Applicable	Not Applicable	Not Applicable

Certified Handler

Subject to Part 4 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Class of substance	Quantities
Not Applicable	Not Applicable

Refer Group Standards for further information

Tracking Requirements

Not Applicable

National Inventory Status

National inventory status	
National Inventory	Status
Australia - AIIC	Yes
Australia Non-Industrial Use	Yes
Canada - DSL	Yes
Canada - NDSL	Yes
China - IECSC	Yes
Europe - EINEC / ELINCS / NLP	Yes
Japan - ENCS	Yes
Korea - KECI	Yes
New Zealand - NZIoC	Yes
Philippines - PICCS	Yes
USA - TSCA	Yes
Taiwan - TCSI	Yes
Mexico - INSQ	Yes
Vietnam - NCI	Yes
Russia - ARIPS	Yes
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 Other information

Revision Date	01/11/2019
Initial Date	01/05/2019

SDS Version Summary

,			
Version	Issue Date	Sections Updated	
2.1.1.1	01/05/2019	Appearance, Use	
3.1.1.1	01/11/2019	One-off system update. NOTE: This may or may not change the GHS classification	

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

Chemwatch: 5350-18 Page 7 of 7 Issue Date: 01/11/2019 Version No: 3.1.1.1 Print Date: 21/08/2020

71416: ALS Rechargeable L.E.D Flood Light – 6000 Lumens

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit.

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.