

# **Cover Sheet for Safety Data Sheet**

# 1. Identification of the Substance/Preparation and of the Company/Undertaking

Product Name WaterWeld

Overseas Supplier J-B WELD COMPANY,LLC

NZ Distributor Griffiths Equipment Ltd

22-24 Olive Road

Penrose Auckland

Tel 09 5254575 Fax 09 5256817

Email sales@griffiths.co.nz

Emergency In an emergency contact the NZ Poisons Centre 0800 POISON

(0800 764 7667).

# 2. Hazards Identification

This product is Hazardous according to the Hazardous Substances (Classification) Regulations 2001.

- 6.3A Substances that are irritating to the skin
- 6.4A Substances that are irritating to the eye
- 6.5B Substances that are contact sensitisers



HSNO Approval Number HSR002624. N.O.S. (Subsidiary Hazard) Group Standard 2006

4 May 2016



# SAFETY DATA SHEET

Issuing Date 19-Jan 2017

Revision Date 19-Jan 2017

**Revision Number 1** 

### 1. IDENTIFICATION

GHS Product Identifier
WATERWELD EPOXY PUTTY STICK

<u>J-B Weld FG SKU Part Numbers Covered</u> 8277AUS

**Australia Contact Information** 

J-B Weld Distributor: HPP Lunds

Address: 1/195 Jackson Rd, Sunnybank Hills Qld 4109

Telephone: 1300 306 781

New Zealand Contact Information

J-B Weld Distributor: Griffith Equipment Ltd.

Address: 22-24 Olive Rd., Penrose, Auckland New Zealand 1061

Telephone: +64 9 5254577

**Emergency Phone Number** 

For advice in an emergency, **In Australia contact** a Poisons Information Centre 13 11 26 or **In New Zealand contact** NZ Poisons Centre 0800 poison (0800 764 7667) or a doctor at once.

Company Name

J-B Weld Company LLC, USA

**Address** 

1130 Como Street, Sulphur Springs TX 75482-4502, United States

Telephone: 011 903 885 7696

### 2. HAZARD IDENTIFICATION

### GHS classification of the substance/mixture

Classified as Hazardous according to the Globally Harmonized System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7<sup>th</sup> edition)

Eye Damage/Irritation: Category 2A

Hazardous to the Aquatic Environment - Long-Term Hazard: Category 3

Sensitization – Skin: Category 1 Skin Corrosion/Irritation: Category 2

Signal Word(s)

WARNING

### Hazard Statement(s)

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

### **Precautionary Statement(s)**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

#### Pictogram(s)

Exclamation mark





#### Precautionary statement - Prevention

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash contaminated skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

### Precautionary statement - Response

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P362 Take off contaminated clothing and wash before reuse.

### Precautionary statement - Disposal

P501 Dispose of contents/container to an approved waste disposal plant.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

| Name                                       | CAS        | Proportion |  |
|--|------------|------------|--|
| Calcium Carbonate                          | 37244-96-5 | 20-50%     |  |
| Glass Powder                               | 65997-17-3 | 10-<30%    |  |
| Talc                                       | 14807-96-7 | 10-<30%    |  |
| Epoxy Resin                                | 25068-38-6 | 10-<30%    |  |
| Mercaptan                                  | 72244-98-5 | <10%       |  |
| Barium Sulphate                            | 7727-43-7  | <10%       |  |
| Titanium Dioxide                           | 13463-67-7 | <5%        |  |
| Amine Hardener                             | 68479-04-9 | <5%        |  |
| Amine Hardener                             | 26950-63-0 | <5%        |  |
| Amine Hardener                             | 112-24-3   | <1%        |  |
| Epoxy Diluent                              | 1301-60-8  | <1%        |  |
| Organo Clay                                | 1302-78-9  | <1%        |  |
| Ingredients determined not to be hazardous |            | Balance    |  |

### 4. FIRST-AID MEASURES

#### Inhalation

If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms develop and/or persist seek medical attention.

### Ingestion

Do not induce vomiting. Wash out mouth thoroughly with water. Seek medical attention.

#### Skin

Remove all contaminated clothing immediately. Wash affected area thoroughly with soap and water. Wash contaminated clothing before reuse or discard. Seek medical attention.

#### Eye contact

If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing for several minutes until all contaminants are washed out completely. Seek medical attention.



Revision Date 19/01/2017

\_\_\_\_\_

#### First Aid Facilities

Eyewash, safety shower and normal washroom facilities.

#### **Advice to Doctor**

Treat symptomatically.

#### Other Information

For advice in an emergency, contact a Poisons Information Centre (Phone Australia 13 11 26) or a doctor at once.

#### **Emergency Phone Number**

For advice in an emergency, **In Australia contact** a Poisons Information Centre 13 11 26 or **In New Zealand contact** NZ Poisons Centre 0800 poison (0800 764 7667) or a doctor at once.

### 5. FIRE-FIGHTING MEASURES

### **Suitable Extinguishing Media**

Carbon dioxide, dry chemical or foam.

#### **Hazards from Combustion Products**

Under fire conditions this product may emit toxic and/or irritating fumes, smoke and gases including carbon monoxide, carbon dioxide, metal oxides and oxides of nitrogen.

### **Specific Hazards Arising from the Chemical**

This product will burn if exposed to fire.

### **Decomposition Temperature**

Not available

#### Precautions in connection with Fire

Fire fighters should wear full protective clothing and self-contained breathing apparatus (SCBA) operated in positive pressure mode. Fight fire from safe location.

### 6. ACCIDENTAL RELEASE MEASURES

### **Emergency Procedures**

Increase ventilation. Wear appropriate personal protective equipment and clothing to prevent exposure. Use clean non-sparking tools to collect the material and place into suitable labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

### 7. HANDLING AND STORAGE

## **Precautions for Safe Handling**

Avoid inhalation of dust, fumes or vapour, and skin or eye contact. Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the buildup of dust, fumes or vapour in the work atmosphere. Maintain high standards of personal hygiene i.e. washing hands prior to eating, drinking, smoking or using toilet facilities.

### Conditions for safe storage, including any incompatibilities

Store in a well ventilated area away from heat and sources of ignition, out of direct sunlight and moisture. Store away from incompatible materials such as materials that support combustion (oxidizing materials). Store in suitable, labelled containers. Inspect periodically for deficiencies such as damage or leaks. Have appropriate fire extinguishers available in and near the storage area. Ensure that storage conditions comply with applicable local and national regulations.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Occupational exposure limit values

No exposure standards have been established for this material. However, the available exposure limits for ingredients are listed below:



Page 3/7

Revision Date 19/01/2017

Fumed silica (respirable dust)

TWA: 2 mg/m<sup>3</sup>

Iron oxide fume (as Fe)

TWA: 5 mg/m<sup>3</sup>

Talc (containing no asbestos fibres)

TWA: 2.5 mg/m<sup>3</sup>

Titanium dioxide TWA: 10 mg/m<sup>3</sup>

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week.

### **Biological Limit Values**

No biological limits allocated.

#### **Appropriate Engineering Controls**

This substance is hazardous and should be used with a local exhaust ventilation system, drawing dust/vapour/fumes away from workers' breathing zone. If the engineering controls are not sufficient to maintain concentrations of particulates below the exposure standards, suitable respiratory protection must be worn.

### **Respiratory Protection**

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

#### **Eye Protection**

Safety glasses with full face shield, side shields or chemical goggles should be worn. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 – Eye Protectors for Industrial Applications.

### **Hand Protection**

Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances, i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves – Selection, use and maintenance.

#### **Body Protection**

Suitable protective work wear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

| Properties                         | Description   | Properties                | Description         |
|------------------------------------|---------------|---------------------------|---------------------|
| Form                               | Solid         | Appearance                | Putty Stick (solid) |
| Color                              | Not available | Odor                      | Not available       |
| Decomposition Temperature          | Not available | Melting Point             | Not available       |
| Boiling Point                      | Not available | Solubility in Water       | Not available       |
| Solubility in Organic Solvents     | Not available | Specific Gravity          | Not available       |
| pH                                 | Not available | Vapour Pressure           | Not available       |
| Vapor Density (Air = 1)            | Not available | <b>Evaporation Rate</b>   | Not available       |
| Odour Threshold                    | Not available | Viscosity                 | Not applicable      |
| Partition Coefficient: n-octanol / | Not available | Flash Point               | Not available       |
| water                              |               |                           |                     |
| Flammability                       | Non-flammable | Auto-Ignition Temperature | Not available       |
| Explosion Limit - Upper            | Not available | Explosion Limit - Lower   | Not applicable      |



# 10. STABILITY AND REACTIVITY

### Reactivity

Not available

#### **Chemical Stability**

Stable under normal conditions of storage and handling.

#### **Conditions to Avoid**

Heat, open flames and other sources of ignition.

### Incompatible materials

Strong oxidizing agents.

### **Hazardous Decomposition Products**

Under fire conditions this product may emit toxic and/or irritating fumes, smoke and gases including carbon monoxide, carbon dioxide, metal oxides and oxides of nitrogen.

### Possibility of hazardous reactions

Not available

#### **Hazardous Polymerization**

Not available

# 11. TOXICOLOGICAL INFORMATION

### **Toxicology Information**

No toxicology data available for this product.

### Ingestion

Ingestion of this product may irritate the gastric tract causing nausea and vomiting.

#### Inhalation

Inhalation of dust may irritation the respiratory system.

### Skin

Causes skin irritation. Skin contact will cause redness, itching and swelling. Repeated exposure may cause skin dryness and cracking and may lead to dermatitis. May cause an allergic skin reaction.

# Eye

Causes serious eye irritation. On eye contact this product will cause tearing, stinging, blurred vision, and redness.

#### Respiratory sensitization

Not expected to be a respiratory sensitizer.

#### **Skin Sensitization**

May cause an allergic skin reaction.

#### Germ cell mutagenicity

Not considered to be a mutagenic hazard.

### Carcinogenicity

Not considered to be a carcinogenic hazard.

Titanium dioxide is listed as a Group 2B: Possibly carcinogenic to humans according to International Agency for Research on Cancer (IARC).

Talc (not containing asbestos fibres) and iron oxide are listed as Group 3: Not classifiable as to carcinogenicity to humans according to International Agency for Research on Cancer (IARC).

#### **Reproductive Toxicity**

Not considered to be toxic to reproduction.



#### STOT-single exposure

Not expected to cause toxicity to a specific target organ.

#### **STOT-repeated exposure**

Not expected to cause toxicity to a specific target organ.

### **Aspiration Hazard**

Not expected to be an aspiration hazard.

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Harmful to aquatic life with long lasting effects.

#### Persistence and degradability

Not available

#### Mobility

Not available

#### **Bioaccumulative Potential**

Not available

#### **Other Adverse Effects**

Not available

#### **Environmental Protection**

Do not discharge this material into waterways, drains and sewers.

# 13. DISPOSAL CONSIDERATIONS

### **Disposal considerations**

Dispose of waste according to applicable local and national regulations. Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes including emptied containers are controlled wastes and should be disposed of in accordance with all applicable local and national regulations.

### 14. TRANSPORT INFORMATION

#### **Transport Information**

Road and Rail Transport:

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code) (7<sup>th</sup> edition).

### Marine Transport (IMO/IMDG):

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

#### Air Transport (ICAO/IATA):

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

### **U.N. Number**

None Allocated

#### **UN proper shipping name**

None Allocated

### Transport hazard class(es)

None Allocated



#### **Special Precautions for User**

Not available

#### **IMDG Marine Pollutant**

No

### **Transport in Bulk**

Not available

# 15. REGULATORY INFORMATION

### **Regulatory Information**

Classified as Hazardous according to the Globally Harmonized System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

### **Poisons Schedule**

S5

### 16. OTHER INFORMATION

#### Date of preparation or last revision of SDS

SDS Created: January 2017

#### References

- Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.
- Standard for the Uniform Scheduling of Medicines and Poisons.
- Australian Code for the Transport of Dangerous Goods by Road & Rail.
- Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.
- Workplace exposure standards for airborne contaminants, Safe work Australia.
- American Conference of Industrial Hygienists (ACGIH).
- Globally Harmonized System of classification and labelling of chemicals.

### **END OF SDS**

Copyright in the source code of the HTML, PDF, XMI, XFO and any other electronic files rendered by an infosafe system for infosafe SDS displayed is the intellectual property of J-B Weld Company LLC USA.

Copyright in the layout, presentation and appearance of each infosafe SDS displayed is the intellectual property of J-B Weld Company LLC USA.

The compilation of SDS's displayed is the intellectual property of J-B Weld Company LLC USA.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or license or for inclusion as part of a collection of SDS without the express written consent of J-B Weld Company LLC USA.

